

1. PRODUCT AND COMPANY IDENTIFICATION

Product Code: MGIFLR-202-BULK
Product Name: Flash Floor Cleaner
Company Name: Morgan-Gallacher, Inc.
8707 Millergrove Drive
Santa Fe Springs, CA 90670
Phone Number: +1 (562)695-1232
Emergency Contact: CHEMTREC +1 (800)424-9300

2. HAZARDS IDENTIFICATION

Serious Eye Damage/Eye Irritation, Category 1

Skin Corrosion/Irritation, Category 1A

Aquatic Toxicity (Acute), Category 3

Corrosive To Metals, Category 1

Acute Toxicity: Oral, Category 4



GHS Signal Word:

Danger

GHS Hazard Phrases:

Harmful if swallowed.
Causes severe skin burns and eye damage.
Harmful to aquatic life.
May be corrosive to metals.

GHS Precautionary Phrases:

Keep out of reach of children.
Read label before use.
Do not get in eyes, on skin, or on clothing.
Do not breathe dust/fume/gas/mist/vapors/spray.
Wash hands thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
Take any precaution to avoid mixing with Water and Acid Products

GHS Response Phrases:

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with plenty of water for 15 minutes.
Get immediate medical advice/attention.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
If experiencing respiratory symptoms: Get immediate medical advice/attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for 15 minutes.
Get immediate medical advice/attention.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get immediate medical advice/attention.

GHS Storage and Disposal Phrases:

Store locked up.
Dispose of contents/container in accordance to local, state and federal regulations.

OSHA Regulatory Status:

This material is classified as hazardous under OSHA regulations.

Inhalation:	Harmful if inhaled. Causes severe irritation of upper respiratory tract with coughing, burns, breathing difficulty, and possible coma.
Skin Contact:	Harmful if absorbed through skin. Causes skin burns.
Eye Contact:	Causes eye burns. May cause chemical conjunctivitis and corneal damage.
Ingestion:	Causes gastrointestinal tract burns. Causes severe pain, nausea, vomiting, diarrhea, and shock. May cause corrosion and permanent tissue destruction of the esophagus and digestive tract.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Hazardous Components (Chemical Name)	Concentration
NA	Phosphate	<20.0 %
1310-73-2	Sodium hydroxide	<30.0 %
6834-92-0	Sodium metasilicate	<20.0 %
34398-01-1	Poly(oxy-1,2-ethanediyl),.alpha.-undecyl-.omega.-hydroxy-	< 5.0 %

4. FIRST AID MEASURES

Emergency and First Aid Procedures:

In Case of Inhalation:	Remove from exposure and move to fresh air immediately. Get medical aid.
In Case of Skin Contact:	Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid immediately. Wash clothing before reuse.
In Case of Eye Contact:	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical aid immediately.
In Case of Ingestion:	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. If victim is conscious and alert, give 2-4 cupfuls of water. Get medical attention immediately.
Note to Physician:	Treat symptomatically and supportively. Show this safety data sheet to the doctor in attendance.

5. FIRE FIGHTING MEASURES

Flash Pt:	NA
Explosive Limits:	LEL: N.A. UEL: N.A.
Autoignition Pt:	NA
Suitable Extinguishing Media:	Substance is noncombustible; use agent most appropriate to extinguish surrounding fire. Use water spray, dry chemical, carbon dioxide, or appropriate foam. Do NOT get water inside containers.
Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water spray to keep fire-exposed containers cool. Use water with caution and in flooding amounts.
Flammable Properties and Hazards:	Contact with metals may evolve flammable hydrogen gas. WARNING: This product can expose you to Myrcene and Diethanolamine, chemicals known to the State of California to cause cancer. For more information, go to www.p65Warnings.ca.gov toxic fumes, may be formed during burning.
Hazardous Combustion	No data available.

Products:

6. ACCIDENTAL RELEASE MEASURES

Protective Precautions, Protective Equipment and Emergency Procedures: Use proper personal protective equipment as indicated in Section 8.

Environmental Precautions: Observe all federal, state, and local environmental regulations. Do not let product enter drains, sewers, watersheds or water systems.

Steps To Be Taken In Case Material Is Released Or Spilled: Sweep up, then place into a suitable container for disposal. Avoid contact with eyes, skin, and clothing. Avoid generating dusty conditions. Ensure adequate ventilation.

7. HANDLING AND STORAGE

Precautions To Be Taken in Handling: Minimize dust generation and accumulation. Do not ingest or inhale. Avoid contact with eyes, skin, and clothing. Use with adequate ventilation. Wash thoroughly after handling. Do not allow water to get into the container because of violent reaction. Keep container tightly closed.

Precautions To Be Taken in Storing: Store in a cool, dry place. Store in a tightly closed container. Keep away from acids. Store in corrosive resistant/... container with a resistant inner liner. Store away from incompatible material.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
NA	Phosphate	No data.	No data.	No data.
1310-73-2	Sodium hydroxide	PEL: 2 mg/m3	CEIL: 2 mg/m3	No data.
6834-92-0	Sodium metasilicate	No data.	No data.	No data.
34398-01-1	Poly(oxy-1,2-ethanediyl),.alpha.-undecyl- l-.omega.-hydroxy-	No data.	No data.	No data.

Respiratory Equipment (Specify Type): A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use.

Eye Protection: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure. Rubber or neoprene gloves.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.): Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

Work/Hygienic/Maintenance Practices: Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States:	[] Gas [] Liquid [X] Solid
Appearance and Odor:	Yellowish-orange. Free flowing granules.
pH:	12 - 14 1% soln
Melting Point:	No data.
Boiling Point:	No data.
Flash Pt:	NA
Evaporation Rate:	NA
Flammability (solid, gas):	No data available.
Explosive Limits:	LEL: N.A. UEL: N.A.
Vapor Pressure (vs. Air or mm Hg):	NA
Vapor Density (vs. Air = 1):	NA
Specific Gravity (Water = 1):	NA
Density:	NA
Solubility in Water:	NA
Saturated Vapor Concentration:	NA
Octanol/Water Partition Coefficient:	No data.
Autoignition Pt:	NA
Decomposition Temperature:	No data.
Viscosity:	NA

10. STABILITY AND REACTIVITY

Stability:	Unstable [] Stable [X]
Conditions To Avoid - Instability:	Incompatible materials, dust generation, Excess heat, Exposure to moist air or water, Moisture, contact with water.
Incompatibility - Materials To Avoid:	Acids, Strong oxidizing agents. Contact of this product with many "active" metals such as aluminum, tin, copper, zinc, and most alloys can cause formation of flammable hydrogen gas.
Hazardous Decomposition or Byproducts:	Carbon monoxide, Carbon dioxide, oxides of phosphorus, Toxic fumes of sodium oxide.
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions:	No data available.

11. TOXICOLOGICAL INFORMATION

Toxicological Information: Epidemiology: No information found.
 Teratogenicity: Teratogenic effects have occurred in experimental animals.
 Reproductive Effects: No information found.
 Mutagenicity: No information found.
 Neurotoxicity: No information found.

CAS# 1310-73-2: Sodium hydroxide: Acute toxicity, LD50, Oral, Rat, 325.0 MG/KG.
 Acute toxicity, LDLO, Oral, Species: Rabbit, 500.0 MG/KG.
 Acute toxicity, LD50, Dermal, Rabbit, 1350. MG/KG.
 Standard Draize Test, Eyes, Species: Monkey., 1.000 %, 24 H.
 Standard Draize Test, Skin, Species: Rabbit, 500.0 MG, 24 H.

CAS# 6834-92-0: Sodium metasilicate: Acute toxicity, LD50, Oral, Rat, 1153. MG/KG.
 Acute toxicity, LD50, Oral, Mouse, 770.0 MG/KG.

Irritation or Corrosion: Other Studies: CAS# 1310-73-2
 Acute toxicity, LD50, Oral, Mouse, 5800mg/kg.

Other Studies: CAS# 1310-73-2
 Standard Draize Test, Eyes, Species: Rabbit, 400.0 ug

Other Studies: CAS# 6834-92-0:
 Acute toxicity, LD50, Oral, Rat, 1000 mg/kg

Other Studies: CAS# 6834-92-0:
 Standard Draize Test, Skin, Species: Rabbit, 250.0 mg, 24H

Carcinogenicity/Other Information: ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to : is identified as a carcinogen or potential carcinogen by OSHA.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
NA	Phosphate	n.a.	n.a.	n.a.	n.a.
1310-73-2	Sodium hydroxide	n.a.	n.a.	n.a.	n.a.
6834-92-0	Sodium metasilicate	n.a.	n.a.	n.a.	n.a.
34398-01-1	Poly(oxy-1,2-ethanediyl),.alpha.-undecyl-.omega.-hydroxy-	n.a.	n.a.	n.a.	n.a.

12. ECOLOGICAL INFORMATION

General Ecological Information:

Environmental: No information available.
Physical: No information available.

CAS# 1310-73-2: Sodium hydroxide: LC50, Cockle (Cerastoderma edule), adult(s), 330000. - 1000000. UG/L, 48 H, Mortality.
LC50, Western Mosquitofish (Gambusia affinis), adult(s), 125000. UG/L, 24 H, Mortality.
LC50, Guppy (Poecilia reticulata), 145000. UG/L, 24 H, Mortality.
CAS# 6834-92-0: Sodium metasilicate: Effective concentration to 50% of test organisms., Water Flea (Ceriodaphnia dubia), neonate, 33.53 MG/L, 48 H, Intoxication., Effective concentration to 50% of test organisms., Blue-Green Algae (Microcystis aeruginosa), 800000. UG/L, Population.
CAS# 34398-01-1: Poly(oxy-1,2-ethanediyl),.alpha.-undecyl-.omega.-hydroxy-: LC50, Fathead Minnow (Pimephales promelas), 7100. UG/L, 96 H, Mortality.
Effective concentration to 50% of test organisms., Water Flea (Daphnia magna), 6700. UG/L, 48 H, Intoxication.,

Results of PBT and vPvB assessment:

Other Studies: CAS# 1310-73-2:
LC50, Common Shrimp, Sand Shrimp (Crangon crangon), adult(s), 33000 - 100000 ug/L, 48H, Mortality
LC50, Western Mosquitofish (Gambusia affinis), adult(s), 125000 ug/L, 96H, Mortality
LC50, Cockle (Cerastoderma edule), adult(s) 330000 - 1000000 ug/L, 48H, Mortality
LC50, Guppy (Poecilia reticulata)}, young organism(s), 196.0 mg/L, 96H, Mortality

Persistence and Degradability:

No data available.

Bioaccumulative Potential:

No data available.

Mobility in Soil:

No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method:

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. Observe all federal, state, and local environmental regulations.

14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Corrosive solid, basic, inorganic, n.o.s.(Sodium Hydroxide, Sodium Metasilicate)
DOT Hazard Class: 8 CORROSIVE
UN/NA Number: UN3262 **Packing Group:** II



15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
NA	Phosphate	No	No	No
1310-73-2	Sodium hydroxide	No	Yes 1000 LB	No
6834-92-0	Sodium metasilicate	No	No	No
34398-01-1	Poly(oxy-1,2-ethanediyl),.alpha.-undecyl-.omega.-hydroxy-	No	No	No

This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:

<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Explosive	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Acute toxicity (any route of exposure)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Flammable (gases, aerosols, liquid, or solid)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Skin Corrosion or Irritation
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Oxidizer (liquid, solid or gas)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Serious eye damage or eye irritation
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Self-reactive	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Respiratory or Skin Sensitization
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Pyrophoric (liquid or solid)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Germ cell mutagenicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Pyrophoric gas	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Carcinogenicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Self-heating	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Reproductive toxicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Organic peroxide	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Specific target organ toxicity (single or repeated exposure)
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Corrosive to metal	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Aspiration Hazard
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Gas under pressure (compressed gas)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Simple Asphyxiant
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	In contact with water emits flammable gas	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	(Health) Hazard Not Otherwise Classified (HNOC)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Combustible Dust		
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	(Physical) Hazard Not Otherwise Classified (HNOC)		

CAS # Hazardous Components (Chemical Name)

Other US EPA or State Lists

NA	Phosphate	CWA NPDES: No; TSCA: No; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: No
1310-73-2	Sodium hydroxide	CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: TAC: Cat. IIb, Title 8; MA Oil/HazMat: Yes; MI CMR, Part 5: Part 5; NJ EHS: No; NY Part 597: Yes: HS; PA HSL: Yes - E
6834-92-0	Sodium metasilicate	CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: No
34398-01-1	Poly(oxy-1,2-ethanediyl),.alpha.-undecyl-.omega.-hydroxy-	CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: No

16. OTHER INFORMATION

Revision Date: 07/10/2019

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

While Morgan-Gallacher believes the statements set forth herein are accurate as of the date hereof, Morgan-Gallacher makes no warranty with respect thereto and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation, and verification.