

SAFETY DATA SHEET

Unstick Gum & Adhesive Remover

Page: 1 of 5

Printed: 09/26/2019

Revision: 09/26/2019

Supersedes Revision: 09/11/2019

1. PRODUCT AND COMPANY IDENTIFICATION

Product Code: CLCC0701
Product Name: Unstick Gum & Adhesive Remover
Company Name: Ultra Brands
8707 Millergrrove Drive
Santa Fe Springs, CA 90670
Phone Number: +1 (562)566-3781
Emergency Contact: CHEMTREC +1 (800)424-9300

2. HAZARDS IDENTIFICATION

Aspiration Toxicity, Category 1



GHS Signal Word: **Danger**

GHS Hazard Phrases: May be fatal if swallowed and enters airways.

GHS Precautionary Phrases: Keep out of reach of children.
Read label before use.
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Avoid breathing dust/fume/gas/mist/vapors/spray.
Do not get in eyes, on skin, or on clothing.
Wash hands thoroughly after handling.

GHS Response Phrases: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with plenty of water for 15 minutes.
Get immediate medical advice/attention.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Get immediate medical advice/attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for 15 minutes.
Get immediate medical advice/attention.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get immediate medical advice/attention.

GHS Storage and Disposal Phrases: Store locked up.
Dispose of contents/container in accordance to local, state and federal regulations.

Inhalation: May cause respiratory tract irritation.

Skin Contact: May cause skin irritation. Repeated or prolonged exposure may cause drying of the skin.

Eye Contact: May cause severe eye irritation. May cause tearing.

Ingestion: May be fatal if swallowed and enters airways.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Hazardous Components (Chemical Name)	Concentration
64742-47-8	Hydrotreated light distillate (petroleum)	100.0 %

4. FIRST AID MEASURES

Emergency and First Aid Procedures:

- In Case of Inhalation:** Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. Do NOT use mouth-to-mouth resuscitation. Get medical aid immediately.
- In Case of Skin Contact:** Flush skin with plenty of water. If skin irritation occurs, get medical advice/attention.
- In Case of Eye Contact:** Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
- In Case of Ingestion:** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.
- Note to Physician:** Treat symptomatically and supportively. Show this safety data sheet to the doctor in attendance.

5. FIRE FIGHTING MEASURES

- Flash Pt:** > 94.00 C
- Explosive Limits:** LEL: No data. UEL: No data.
- Autoignition Pt:** NA
- Suitable Extinguishing Media:** Use water fog, dry chemical, carbon dioxide, or alcohol-resistant foam.
- Fire Fighting Instructions:** As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Vapors may form explosive mixtures with air. Flammable liquid and vapor. Cool containers with flooding quantities of water until well after fire is out. Vapors are heavier than air and may travel to a source of ignition and flash back.
- Flammable Properties and Hazards:** High temperatures and fire conditions can result in the formation of carbon monoxide and carbon dioxide.
- Hazardous Combustion Products:** No data available.

6. ACCIDENTAL RELEASE MEASURES

- Protective Precautions, Protective Equipment and Emergency Procedures:** Use proper personal protective equipment as indicated in Section 8.
- Environmental Precautions:** Observe all federal, state, and local environmental regulations.
- Steps To Be Taken In Case Material Is Released Or Spilled:** Spills/Leaks: Provide ventilation. Remove all sources of ignition. A vapor suppressing foam may be used to reduce vapors. Use water spray to dilute spill to a non-flammable mixture. Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Use a spark-proof tool.

7. HANDLING AND STORAGE

- Precautions To Be Taken in Handling:** Avoid contact with eyes, skin, and clothing. Avoid breathing dust, mist, or vapor. Use only with adequate ventilation. Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Ground and bond containers when transferring material. Use spark-proof tools and explosion proof equipment. Take precautionary measures against static discharges. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames. Do not allow to evaporate to near dryness.
- Precautions To Be Taken in Storing:** Do not store in direct sunlight. Protect containers against damage. Keep container tightly closed in a dry and well-ventilated place. Electrostatic charges may be generated during pumping.

SAFETY DATA SHEET

Unstick Gum & Adhesive Remover

Page: 3 of 5

Printed: 09/26/2019

Revision: 09/26/2019

Supersedes Revision: 09/11/2019

Other Precautions: Handle in accordance with good industrial hygiene and safety practice.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
64742-47-8	Hydrotreated light distillate (petroleum)	No data.	TLV: 200 mg/m3	No data.

Respiratory Equipment (Specify Type): Avoid breathing vapors or mists. If airborne concentrations pose a health hazard or become irritating, use a NIOSH/MSHA-approved respirator, in the positive pressure mode.

Eye Protection: Wear chemical splash goggles.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure. Rubber or neoprene gloves.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.): Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Work/Hygienic/Maintenance Practices: Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Clear. Colorless. Odorless. Liquid.

pH: NA

Melting Point: NA

Boiling Point: 218.00 C - 257.00 C

Flash Pt: > 94.00 C

Evaporation Rate: NA

Flammability (solid, gas): No data available.

Explosive Limits: LEL: No data. UEL: No data.

Vapor Pressure (vs. Air or mm Hg): NA

Vapor Density (vs. Air = 1): NA

Specific Gravity (Water = 1): 0.791

Density: 6.58 LB/GA

Solubility in Water: No data.

Saturated Vapor Concentration: NA

Octanol/Water Partition Coefficient: No data.

Autoignition Pt: NA

Decomposition Temperature: NA

Viscosity: 2.57 cSt at 25.0 C

SAFETY DATA SHEET

Unstick Gum & Adhesive Remover

Page: 4 of 5

Printed: 09/26/2019

Revision: 09/26/2019

Supersedes Revision: 09/11/2019

10. STABILITY AND REACTIVITY

Reactivity:	High temperatures and fire conditions can result in the formation of carbon monoxide and carbon dioxide.
Stability:	Unstable [] Stable [X]
Conditions To Avoid - Instability:	Incompatible materials, High temperatures, Light, Ignition sources, Excess heat, flames and sparks.
Incompatibility - Materials To Avoid:	Strong oxidizers.
Hazardous Decomposition or Byproducts:	No data available.
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions:	No data available.

11. TOXICOLOGICAL INFORMATION

Toxicological Information:	Epidemiology: No information found. Teratogenicity: No information available. Reproductive Effects: No information available. Mutagenicity: No information available. Neurotoxicity: Acute toxicity. No data available. Respiratory or skin sensitization: No information available.
-----------------------------------	---

CAS# 64742-47-8: Hydrotreated light distillate (petroleum): Acute toxicity, LD50, Dermal, Human, > 3160. MG/KG.

Acute toxicity, LD50, Ingestion:, Human, > 15000. MG/KG.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
64742-47-8	Hydrotreated light distillate (petroleum)	n.a.	n.a.	A4	n.a.

12. ECOLOGICAL INFORMATION

General Ecological Information:	CAS# 64742-47-8: Hydrotreated light distillate (petroleum): LC50, Bluegill (<i>Lepomis macrochirus</i>), 2200. UG/L, 4 D, Mortality. LC50, Rainbow Trout (<i>Oncorhynchus mykiss</i>), 3200. UG/L, 24 H, Mortality. LC50, Guppy (<i>Poecilia reticulata</i>), 8800. UG/L, 48 H, Mortality.
Bioaccumulative Potential:	No data available.
Mobility in Soil:	No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method:	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. Observe all federal, state, and local environmental regulations.
-------------------------------	---

14. TRANSPORT INFORMATION

SAFETY DATA SHEET
Unstick Gum & Adhesive Remover

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated.

DOT Hazard Class:

UN/NA Number:

15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
64742-47-8	Hydrotreated light distillate (petroleum)	No	No	No

This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:

<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Explosive	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Acute toxicity (any route of exposure)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Flammable (gases, aerosols, liquid, or solid)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Skin Corrosion or Irritation
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Oxidizer (liquid, solid or gas)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Serious eye damage or eye irritation
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Self-reactive	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Respiratory or Skin Sensitization
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Pyrophoric (liquid or solid)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Germ cell mutagenicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Pyrophoric gas	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Carcinogenicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Self-heating	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Reproductive toxicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Organic peroxide	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Specific target organ toxicity (single or repeated exposure)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Corrosive to metal	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Aspiration Hazard
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Gas under pressure (compressed gas)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Simple Asphyxiant
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	In contact with water emits flammable gas	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	(Health) Hazard Not Otherwise Classified (HNOC)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Combustible Dust		
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	(Physical) Hazard Not Otherwise Classified (HNOC)		

CAS #	Hazardous Components (Chemical Name)
64742-47-8	Hydrotreated light distillate (petroleum)

Other US EPA or State Lists

CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No;
CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No;
NJ EHS: No; NY Part 597: No; PA HSL: No

16. OTHER INFORMATION

Revision Date: 09/26/2019

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

While Ultra Brands believes the statements set forth herein are accurate as of the date hereof, Ultra Brands makes no warranty with respect thereto and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation, and verification.