

1. PRODUCT AND COMPANY IDENTIFICATION

Product Code: MORGAN-179-BULK
Product Name: Squat Laundry Detergent
Company Name: Morgan-Gallacher, Inc.
 8707 Millergrove Drive
 Santa Fe Springs, CA 90670
Emergency Contact: CHEMTREC

Phone Number:
 +1 (562)695-1232
 +1 (800)424-9300

2. HAZARDS IDENTIFICATION

Skin Corrosion/Irritation, Category 2
Serious Eye Damage/Eye Irritation, Category 2A
Acute Toxicity: Oral, Category 4



GHS Signal Word: **Warning**

GHS Hazard Phrases: Harmful if swallowed.
 Causes skin irritation.
 Causes serious eye irritation.

GHS Precautionary Phrases: Keep out of reach of children.
 Read label before use.
 Do not get in eyes, on skin, or on clothing.
 Do not breathe dust/fume/gas/mist/vapors/spray.
 Wash hands thoroughly after handling.
 Wear protective gloves/protective clothing/eye protection.

GHS Response Phrases: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for 15 minutes.
 Get immediate medical advice/attention.
 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get immediate medical advice/attention.
 IF ON SKIN: Wash with plenty of water. If skin irritation occurs, get medical advice/attention.

GHS Storage and Disposal Phrases: No phrases apply.

Inhalation: Causes irritation of the mucous membrane and upper respiratory tract.

Skin Contact: May cause skin irritation. Repeated or prolonged exposure may cause drying of the skin.

Eye Contact: May cause serious eye damage. May cause eye irritation. May cause redness.

Ingestion: May be harmful if swallowed. May cause gastrointestinal irritation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Hazardous Components (Chemical Name)	Concentration
68584-22-5	Benzenesulfonic acid, C10-16-alkyl derivs.	<10.0 %
7320-34-5	TKPP	< 5.0 %
122-20-3	Triisopropanolamine	< 5.0 %
68439-46-3	Alcohol ethoxylate	<10.0 %

4. FIRST AID MEASURES

Emergency and First Aid Procedures:

- In Case of Inhalation:** Remove from exposure and move to fresh air immediately.
- In Case of Skin Contact:** Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid if irritation develops and persists.
- In Case of Eye Contact:** Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.
- In Case of Ingestion:** Never give anything by mouth to an unconscious person. Rinse mouth with water. Do NOT induce vomiting. If victim is conscious and alert, give 2-4 cupfuls of water. Get medical attention immediately.
- Note to Physician:** Treat symptomatically and supportively. Show this safety data sheet to the doctor in attendance.

5. FIRE FIGHTING MEASURES

- Flash Pt:** NA
- Explosive Limits:** LEL: No data. UEL: No data.
- Autoignition Pt:** NA
- Suitable Extinguishing Media:** Use water fog, dry chemical, carbon dioxide, or alcohol-resistant foam.
- Fire Fighting Instructions:** As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.
- Flammable Properties and Hazards:** High temperatures and fire conditions can result in the formation of carbon monoxide and carbon dioxide.
- Hazardous Combustion Products:** No data available.

6. ACCIDENTAL RELEASE MEASURES

- Protective Precautions, Protective Equipment and Emergency Procedures:** Use proper personal protective equipment as indicated in Section 8.
- Environmental Precautions:** Observe all federal, state, and local environmental regulations.
- Steps To Be Taken In Case Material Is Released Or Spilled:** Contain spilled material if possible.

7. HANDLING AND STORAGE

- Precautions To Be Taken in Handling:** Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation. Wash thoroughly after handling. Remove contaminated clothing and wash before reuse.
- Precautions To Be Taken in Storing:** Store in a cool, dry, well-ventilated area away from incompatible substances. Store in a tightly closed container. Keep container closed when not in use. Protect containers against damage.
- Other Precautions:** Handle in accordance with good industrial hygiene and safety practice.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
68584-22-5	Benzenesulfonic acid, C10-16-alkyl derivs.	No data.	No data.	No data.

7320-34-5	TKPP	No data.	No data.	No data.
122-20-3	Triisopropanolamine	No data.	No data.	No data.
68439-46-3	Alcohol ethoxylate	No data.	No data.	No data.

Respiratory Equipment (Specify Type):	No special respiratory protection equipment is required with normal use.
Eye Protection:	Safety glasses.
Protective Gloves:	Wear appropriate protective gloves to prevent skin exposure. Rubber or neoprene gloves.
Other Protective Clothing:	No data available.
Engineering Controls (Ventilation etc.):	No data available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States:	[] Gas [X] Liquid [] Solid	
Appearance and Odor:	Light yellow. Transparent. Liquid.	
pH:	11.0 - 11.5	
Melting Point:	NA	
Boiling Point:	NA	
Flash Pt:	NA	
Evaporation Rate:	NA	
Flammability (solid, gas):	No data available.	
Explosive Limits:	LEL: No data.	UEL: No data.
Vapor Pressure (vs. Air or mm Hg):	NA	
Vapor Density (vs. Air = 1):	NA	
Specific Gravity (Water = 1):	1.025 - 1.035	
Density:	8.70	
Solubility in Water:	100%	
Saturated Vapor Concentration:	NA	
Octanol/Water Partition Coefficient:	No data.	
Autoignition Pt:	NA	
Decomposition Temperature:	NA	
Viscosity:	CA	

10. STABILITY AND REACTIVITY

Reactivity:	High temperatures and fire conditions can result in the formation of carbon monoxide and carbon dioxide.
Stability:	Unstable [] Stable [X]
Conditions To Avoid - Instability:	High temperatures, ignition sources.
Incompatibility - Materials To Avoid:	None known.
Hazardous Decomposition or Byproducts:	High temperatures and fire conditions can result in the formation of carbon monoxide and carbon dioxide.
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]

Conditions To Avoid - Hazardous Reactions: No data available.

11. TOXICOLOGICAL INFORMATION

Toxicological Information: Epidemiology: No information found.
 Teratogenicity: No information available.
 Reproductive Effects: No information found.
 Mutagenicity: No information found.
 Neurotoxicity: No information found.

CAS# 68584-22-5: Benzenesulfonic acid, C10-16-alkyl derivs.: Acute toxicity, LC50, Dermal, Rabbit, > 2000. MG/KG.
 Acute toxicity, LD50, Oral, Rat, 1470. MG/KG.
 CAS# 7320-34-5: TKPP: Acute toxicity, LD50, Skin, Species: Rabbit, > 4640. MG/KG.
 CAS# 122-20-3: Triisopropanolamine: Acute toxicity, LD50, Oral, Species: Rabbit, 11.00 GM/KG.
 Standard Draize Test, Eyes, Species: Rabbit, 5.000 MG.
 CAS# 68439-46-3: Alcohol ethoxylate: Acute toxicity, LD50, Oral, Rat, 1378. MG/KG.
 Acute toxicity, LD50, Skin, Species: Rabbit, > 2.000 GM/KG.

Carcinogenicity/Other Information: Carcinogenicity.

Carcinogenicity:		NTP? No	IARC Monographs? No	OSHA Regulated? No		
CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA	
68584-22-5	Benzenesulfonic acid, C10-16-alkyl derivs.	n.a.	n.a.	n.a.	n.a.	
7320-34-5	TKPP	n.a.	n.a.	n.a.	n.a.	
122-20-3	Triisopropanolamine	n.a.	n.a.	n.a.	n.a.	
68439-46-3	Alcohol ethoxylate	n.a.	n.a.	n.a.	n.a.	

12. ECOLOGICAL INFORMATION

General Ecological Information: Environmental: No information available.
 Physical: No information available.

CAS# 68584-22-5: Benzenesulfonic acid, C10-16-alkyl derivs.: LC50, Fish (Labeo bata), 1.670 MG/L, 96 H.
 Effective concentration to 0% of test organisms., Algae (Scenedesmus maximus), 0.910 , 96 H.
 CAS# 7320-34-5: TKPP: LC50, Medaka, High-Eyes (Oryzias latipes), 590000. , 24 H.
 LC50, Zebra Mussel (Dreissena polymorpha), adult(s), 94000. UG/L, 24 H, Mortality.
 CAS# 68439-46-3: Alcohol ethoxylate: LC50, Fathead Minnow (Pimephales promelas), 11000. UG/L, 96 H, Mortality.
 Effective concentration to 50% of test organisms., Water Flea (Daphnia magna), 12000. UG/L, 48 H, Intoxication.,
 Effective concentration to 50% of test organisms., Water Flea (Daphnia magna), 5300. UG/L, 48 H, Intoxication.,

Persistence and Degradability: No information available.

Bioaccumulative Potential: No information available.

Mobility in Soil: No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.

14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated.

DOT Hazard Class:

UN/NA Number:

15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
68584-22-5	Benzenesulfonic acid, C10-16-alkyl derivs.	No	No	No
7320-34-5	TKPP	No	No	No
122-20-3	Triisopropanolamine	No	No	No
68439-46-3	Alcohol ethoxylate	No	No	No

This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:

<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Explosive	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Acute toxicity (any route of exposure)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Flammable (gases, aerosols, liquid, or solid)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Skin Corrosion or Irritation
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Oxidizer (liquid, solid or gas)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Serious eye damage or eye irritation
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Self-reactive	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Respiratory or Skin Sensitization
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Pyrophoric (liquid or solid)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Germ cell mutagenicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Pyrophoric gas	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Carcinogenicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Self-heating	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Reproductive toxicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Organic peroxide	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Specific target organ toxicity (single or repeated exposure)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Corrosive to metal	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Aspiration Hazard
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Gas under pressure (compressed gas)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Simple Asphyxiant
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	In contact with water emits flammable gas	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	(Health) Hazard Not Otherwise Classified (HNOC)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Combustible Dust		
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	(Physical) Hazard Not Otherwise Classified (HNOC)		

CAS # Hazardous Components (Chemical Name)

Other US EPA or State Lists

68584-22-5	Benzenesulfonic acid, C10-16-alkyl derivs.	CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: No
7320-34-5	TKPP	CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: No
122-20-3	Triisopropanolamine	CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: Yes - 1
68439-46-3	Alcohol ethoxylate	CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: No

16. OTHER INFORMATION

Revision Date: 11/11/2019

Additional Information About This Product: No data available.

This Product:

Company Policy or

Disclaimer:

While Morgan-Gallacher believes the statements set forth herein are accurate as of the date hereof, Morgan-Gallacher makes no warranty with respect thereto and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation, and verification.